



LVD/HVD Demo Unit Guide

May 2009



Table of Contents

1	SAFETY AND REGULATORY STATEMENTS.....	1-1
1.1	CE STATEMENT.....	1-1
1.2	CANADIAN REQUIREMENTS.....	1-1
1.3	FCC WARNING.....	1-1
1.4	EMISSIONS REGULATIONS COMPLIANCE.....	1-2
1.5	ELECTROSTATIC DISCHARGE (ESD) PRECAUTIONS.....	1-2
1.6	END OF LIFE PLAN.....	1-3
2	INTRODUCTION.....	2-1
2.1	10ZiG Q ³	2-1
2.2	RACKMOUNT UNIT.....	2-1
2.3	SPECIFICATION.....	2-2
3	OUTLINE.....	3-1
3.1	HOW DOES Q ³ PROVIDE A SOLUTION?.....	3-1
3.2	HOW DOES IT WORK?.....	3-1
3.3	HOW IS Q ³ CONTROLLED?.....	3-2
3.4	FRONT PANEL.....	3-2
3.5	DISPLAY.....	3-2
4	OPERATING PROCEDURES.....	4-1
4.1	INSTALLATION.....	4-1
4.1.1	Connections to a stand-alone tape drive installation.....	4-1
4.1.2	Connection to a tape drive fitted in a library.....	4-1
4.2	BASIC CONFIGURATION.....	4-4
5	QONFIG GUI.....	5-1
5.1	QONFIG3 INSTALLATION.....	5-1
5.2	USING QONFIG3.....	5-3
5.2.1	Initial Setup.....	5-3
5.3	MANUAL COMMANDS SENT FROM A TERMINAL.....	5-6
5.3.1	Setting the Q ³ access password.....	5-6
5.3.2	Setting the encryption key.....	5-6
5.3.3	Setting the operating mode.....	5-8
5.3.4	Setting the encryption level.....	5-8
5.3.5	Setting the display screen text.....	5-9
5.3.6	Get the firmware revision information.....	5-10
5.3.7	Get the monitor status information.....	5-10
6	CONVERTING THE Q³ DEMO UNIT FROM HVD (DIFFERENTIAL) CONFIGURATION TO LVD CONFIGURATION.....	6-1
7	PROBLEM SOLVING.....	7-1
7.1	HARDWARE FAULTS.....	7-1
7.1.1	No display backlight.....	7-1
7.1.2	No SCSI ID displayed.....	7-1
7.1.3	Cannot configure unit.....	7-1
7.1.4	Blank display after power up self test completes.....	7-1
7.1.5	Cannot write to tape.....	7-1
7.2	CONFIGURATION FAULTS.....	7-1
8	APPENDIX A - CONNECTOR DETAILS.....	8-1

8.1.1	Differential SCSI (HVD).....	8-1
8.1.2	Single Ended SCSI.....	8-2
8.1.3	Low Voltage Differential.....	8-3
8.1.4	Serial.....	8-4
8.2	Q ³ SERIAL NUMBER AND ENCRYPTION KEY WORKSHEET.....	8-5
9	COMMENT FORM.....	9-1
10	GLOSSARY.....	10-1

1 Safety and Regulatory Statements

1.1 CE Statement

The standards compliance label on the 10ZiG Q³ contain the CE mark which indicates that this system conforms to the provisions of the following European Council Directives, laws, and standards:

- Electro Magnetic Compatibility (EMC) Directive 89/336/EEC and the Complementary Directives 92/31/EEC and 93/68/EEC:
 - EN550022, Class A; Emissions Industrial Environment
 - EN 50082-2 Immunity Industrial Environment
 - EN61000-4-2 Electro Static Discharge
 - EN61000-4-3 Radiated RF
 - EN61000-4-4 Electrical Fast Transients
 - EN61000-4-5 Surge
 - EN61000-4-6 Conducted RF
 - EN61000-4-11 Line Interruption
- Low Voltage Directive (LVD) 73/23/EEC and the Complementary Directive 93/68/EEC:
 - EN 60950:92 A1:93 & A2:93 & A3:95 & A4:96 & A11:97
 - EN60825-1:199/A11, -2

1.2 Canadian Requirements

This Class A digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations.

Cet appareil numérique de la Classe A respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

1.3 FCC Warning

This equipment has been tested and complies with the limits for a Class A computing device pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when equipment is operated in a commercial environment.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operating this equipment in a residential area is likely to cause harmful interference in which case the user is responsible for repairs.

10ZiG's system tests were conducted with 10ZiG's shielded cables, such as those you receive with your computer.

Changes or modifications not expressly approved by 10ZiG could void the user's authority to operate the equipment.

Operation of this device is subject to the following conditions:

- ? This device may not cause harmful interference.
 - ? This device must accept interference received, including interference that may cause undesired operation.
 - ? Cables used with this device must be properly shielded to comply with the requirements of the FCC.
-

1.4 Emissions Regulations Compliance

Any third-party I/O devices installed in, or connected to, a BOSaNOVA system(s) must be in accordance with the requirements set forth in the preceding Emissions Regulations statements. In the event that a third-party noncompliant I/O device is installed, the customer assumes all responsibility and liability arising there from.

1.5 Electrostatic Discharge (ESD) Precautions

Electrostatic charges can damage the integrated circuits on printed circuit boards. To prevent such damage from occurring, observe the following precautions during board unpacking and installation:

- ? Stand on a static-free mat.
 - ? Wear a static strap to ensure that any accumulated electrostatic charge is discharged from your body to the ground.
 - ? Connect all equipment together: including the static-free mat, static straps and peripheral units.
 - ? Keep uninstalled printed circuit boards in their protective antistatic bags.
 - ? Handle printed circuit boards by their edges, once you have removed them from their protective antistatic bags.
-

1.6 End of Life Plan

This box is a purchased unit. Therefore, it is the sole responsibility of the purchaser to dispose of it in accordance with local laws and regulations at the time of disposal.

This unit contains recyclable materials. The materials should be recycled where facilities are available, and according to local regulations. In some areas 10ZiG may provide a product take-back program that ensures proper handling of the product.

For more information, contact your 10ZiG representative.

